



TOEPASSINGEN

Aantal interne bits in verschillende profielmaten, zoals:

- PH, PZ kruiskop
- TX opname
- Geschikt voor 1/4" bits

TOEPASSINGEN

Aantal interne bits in verschillende profielmaten, zoals:

- PH, PZ kruiskop
- TX opname
- Geschikt voor 1/4" bits

TECHNISCHE GEGEVENS



Profi-bit FPB

Artikelnaam	Art.-Nr.	Opname	Lengte l [mm]	Inhoud	Verpakkingseenheid [Stuks]
FPB T 10 PROFi Bit W 2	533078	TX 10	25	2 Bits	10
FPB T 15 PROFi Bit W 2	533079	TX 15	25	2 Bits	10
FPB T 20 PROFi Bit W 2	533080	TX 20	25	2 Bits	10
FPB T 25 PROFi Bit W 2	533081	TX 25	25	2 Bits	10
FPB T 27 PROFi Bit W 2	533082	TX27	25	2 Bits	10
FPB T 30 PROFi Bit W 2	533083	TX 30	25	2 Bits	10
FPB T 40 PROFi Bit W 2	533084	TX 40	25	2 Bits	10
FPB T 50 PROFi Bit W 1	533085	TX50	25	1 Bit	10
FPB PH 1 PROFi Bit W 2	533086	PH1	25	2 Bits	10
FPB PH 2 PROFi Bit W 2	533087	PH 2	25	2 Bits	10
FPB PH 2 DRYWALL W 1	533090	PH 2	25	1 Bit	10
FPB PH 3 PROFi Bit W 2	533091	PH3	25	2 Bits	10
FPB PZ 1 PROFi Bit W 2	533092	PZ 1	25	2 Bits	10
FPB PZ 2 PROFi Bit W 2	533095	PZ2	25	2 Bits	10
FPB PZ 3 PROFi Bit W 2	533097	PZ 3	25	2 Bits	10
FPB PZ 4 PROFi Bit W 1	533099	PZ 4	32	1 Bit	10
FPB PH 2 50MM PROFi Bit W 1	533105	PH 2	50	1 Bit	10
FPB PZ 2 50MM PROFi Bit W 1	533109	PZ2	50	1 Bit	10

The all-rounding bit within convincing quality



ADVANTAGES

- The bits „Made in Germany“ manufactured from special steel with high hardness degree are suitable for both hand driven and machine guided applications
- The perfect fitting inside screws ensures working with low-wear of the product and consequently long lifetime and clean working results
- The profile guarantees an ideal connection for an optimal power and torque transmission that prevents damages of the surface or the screw-heads
- Also available as clearly arranged bit-set with 11 or 31 pcs including bit-holder

APPLICATIONS

Number of internal drives in various profile sizes, such as:

- PH, PZ cross-slot
- TX star recess
- Suitable for 1/4" drives

APPLICATIONS

Number of internal drives in various profile sizes, such as:

- PH, PZ cross-slot
- TX star recess
- Suitable for 1/4" drives

TECHNICAL DATA



Profi-bit FPB

Article name	Art.-No.	Drive	Length [mm]	Contents	Sales unit [pcs]
FPB T 10 PROFI Bit W 10	533112	TX10	25	10 Bit	10
FPB T 15 PROFI Bit W 10	533113	TX15	25	10 Bit	10
FPB T 20 PROFI Bit W 10	533114	TX20	25	10 Bit	10
FPB T 25 PROFI Bit W 10	533115	TX25	25	10 Bit	10
FPB T 30 PROFI Bit W 10	533116	TX30	25	10 Bit	10
FPB T 40 PROFI Bit W 10	533117	TX40	25	10 Bit	10
FPB PH 1 PROFI Bit W 10	533118	PH1	25	10 Bit	10

Article name	Art.-No.	Drive	Length [mm]	Contents	Sales unit [pcs]
FPB PH 2 PROFi Bit W 10	533119	PH 2	25	10 Bit	10
FPB PH 3 PROFi Bit W 10	533120	PH3	25	10 Bit	10
FPB PZ 1 PROFi Bit W 10	533121	PZ1	25	10 Bit	10
FPB PZ 2 PROFi Bit W 10	533122	PZ2	25	10 Bit	10
FPB PZ 3 PROFi Bit W 10	533123	PZ3	25	10 Bit	10