



## Cylinder head with TX-Star recess, Bonus Zinc, full thread



### APPROVALS



### APPROVALS



### APPROVALS



### APPROVALS



### TECHNICAL DATA



FPF-ZT ZPF

#### Diameter 6,5

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit [pcs]
6,5	120	TX30	<b>659299</b>	<b>FPF-ZT 6,5 x 120 ZPF 100</b>	■	107	100
6,5	140	TX30	<b>659300</b>	<b>FPF-ZT 6,5 x 140 ZPF 100</b>	■	127	100
6,5	160	TX30	<b>659301</b>	<b>FPF-ZT 6,5 x 160 ZPF 100</b>	■	147	100
6,5	195	TX30	<b>659302</b>	<b>FPF-ZT 6,5 x 195 ZPF 100</b>	■	182	100

## Diameter 8,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit [pcs]
8,0	155	TX40	<b>659303</b>	<b>FPF-ZT 8,0 x 155 ZPF 50</b>	■	140	50
8,0	195	TX40	<b>659304</b>	<b>FPF-ZT 8,0 x 195 ZPF 50</b>	■	180	50
8,0	220	TX40	<b>659305</b>	<b>FPF-ZT 8,0 x 220 ZPF 50</b>	■	205	50
8,0	245	TX40	<b>659306</b>	<b>FPF-ZT 8,0 x 245 ZPF 50</b>	■	230	50
8,0	295	TX40	<b>659307</b>	<b>FPF-ZT 8,0 x 295 ZPF 50</b>	■	280	50
8,0	330	TX40	<b>659308</b>	<b>FPF-ZT 8,0 x 330 ZPF 50</b>	■	315	50
8,0	375	TX40	<b>659309</b>	<b>FPF-ZT 8,0 x 375 ZPF 50</b>	■	360	50
8,0	400	TX40	<b>659310</b>	<b>FPF-ZT 8,0 x 400 ZPF 50</b>	■	385	50

## Diameter 10,0

Diameter d [mm]	Length l [mm]	Drive	Art.-No.  Art.-No.	Article name	ETA-approval	Full thread length l <sub>g</sub> [mm]	Sales unit  [pcs]
10,0	300	TX50	<b>659311</b>	<b>FPF-ZT 10,0 x 300 ZPF 25</b>	■	282	25
10,0	330	TX50	<b>659312</b>	<b>FPF-ZT 10,0 x 330 ZPF 25</b>	■	312	25
10,0	360	TX50	<b>659313</b>	<b>FPF-ZT 10,0 x 360 ZPF 25</b>	■	342	25
10,0	400	TX50	<b>659314</b>	<b>FPF-ZT 10,0 x 400 ZPF 25</b>	■	382	25
10,0	450	TX50	<b>659315</b>	<b>FPF-ZT 10,0 x 450 ZPF 25</b>	■	432	25
10,0	500	TX50	<b>659316</b>	<b>FPF-ZT 10,0 x 500 ZPF 25</b>	■	482	25
10,0	550	TX50	<b>659317</b>	<b>FPF-ZT 10,0 x 550 ZPF 25</b>	■	532	25
10,0	600	TX50	<b>659318</b>	<b>FPF-ZT 10,0 x 600 ZPF 25</b>	■	582	25